CR 300

Fall arrester for vertical work

IMPROVED

EN 360:2023

CR 300 fall arrester with an expandable galvanized steel line 4 mm in diameter.The device is designed for work requiring significant mobility in relation to the anchoring point.No need to use a shock absorber.The CR 300 fall arrest device is an element of individual fall protection equipment.

SPECIAL FEATURES

Protection for maximum user's weight of 140 kg (with equipment and tools)

Protection for 1 person

Device for vertical use

For an additional fee, you can order a product equipped with an RFID (NFC) transponder.

PARAMETERS

Max. user weight	140 kg

ROPE

Diameter Ø	4 mm
Material	galvanized steel

CARABINERS

Carabiner model	AZ 002ASI

COVER

Material	plastic
Case colour	black

PROTEKT

PROTEKT Grzegorz Laszkiewicz Spolka z o.o. Starorudzka 9, 93-403 Lodz, POLAND
KRS: 0001009727 | REGON: 524047958 | NIP: 7292747932

WWW.PROTEKT.PL

EXPORT SALES DEPARTMENT Skromna 6, 93-405 Lodz, POLAND
Phone: +48 42 29 29 500, export@protekt.com.pl, Fax +48 42 680-20-93

CR 300 Fall arrester for vertical work

IMPROVED

VARIANTS

ref. no.	length [m]
CR30018	18
CR30020	20
CR30025	25
CR30028	28

PHOTOS 360 (ROTATING)

PROTEKT Grzegorz Laszkiewicz Spolka z o.o. Starorudzka 9, 93-403 Lodz, POLAND
KRS: 0001009727 | REGON: 524047958 | NIP: 7292747932

WWW.PROTEKT.PL

EXPORT SALES DEPARTMENT Skromna 6, 93-405 Lodz, POLAND
Phone: +48 42 29 29 500, export@protekt.com.pl, Fax +48 42 680-20-93

CR 300

Fall arrester for vertical work

IMPROVED

PROTEKT Grzegorz Laszkiewicz Spolka z o.o. Starorudzka 9, 93-403 Lodz, POLAND
KRS: 0001009727 | REGON: 524047958 | NIP: 7292747932

WWW.PROTEKT.PL

EXPORT SALES DEPARTMENT Skromna 6, 93-405 Lodz, POLAND
Phone: +48 42 29 29 500, export@protekt.com.pl, Fax +48 42 680-20-93