

DWR 040S

PROTEKT®

A fall arrest device
with two mechanisms
with a textile webbing in a single housing



CE EN 360

CNB/PPE-R 11.062
CNB/PPE-R 11.085
CNB/PPE-R 11.124

 PROTECTION FOR
MAX USER WEIGHT
140 kg

 VERTICAL USE
OF THE DEVICE

 SECURITY
FOR **1 PERSON**

FALL
FACTOR **2**



DEVICE TESTED ACCORDING
TO NEW RECOMMENDATION
FOR TWIN DEVICES
CNB/PPE-R 11.124

DWR040S is a lightweight fall arrest device with two webbings, designed for work requiring frequent changes of the attachment point. The locking mechanism is located in a durable housing with a swivel in the upper part of the device. No need for an additional safety shock absorber. The device has built-in snap connectors AZ 001ASI or AZ 029SI with a swivel and an indicator.

The DWR040S self-locking device is a component of individual fall protection equipment.

The device must be connected to the back point of the safety harness!

PARAMETERS

Static strength:	min. 15 kN
Dimensions:	59 x 127 x 152 mm
Tape material:	textile webbing
Tape width:	18,5 mm
Housing material:	composite

PROTEKT®

OFFICE - Skromna 6, 93-405 Lodz, POLAND / CORRESPONDENCE ADDRESS - PROTEKT, Starorudzka 9, 93-403 Lodz, POLAND
SALES DEPARTMENT Phone +48 42 29-29-500, export@protekt.com.pl, fax +48 42 680-20-93
WAREHOUSE - Gombrowicza 6, 93-405 Lodz, POLAND

WWW.PROTEKT.PL

DWR040S 030

DWR040S 020



REF. NO.:	MAX LENGTH	WEIGHT
<u>DWR040S 030</u>	200 cm	2 kg

REF. NO.:	MAX LENGTH	WEIGHT
<u>DWR040S 020</u>	200 cm	2,30 kg

PROTEKT

OFFICE - Skromna 6, 93-405 Lodz, POLAND / CORRESPONDENCE ADDRESS - PROTEKT, Starorudzka 9, 93-403 Lodz, POLAND
SALES DEPARTMENT Phone +48 42 29-29-500, export@protekt.com.pl, fax +48 42 680-20-93
WAREHOUSE - Gombrowicza 6, 93-405 Lodz, POLAND

WWW.PROTEKT.PL